



SOUND TECHNOLOGY

SAV-1

The SAV-1's are compact Satellite loudspeakers that have been designed for wall mounting to suit all modern Hi Fi and Home Theatre systems.

Equally as impressive as dedicated high quality Rear Speakers in Surround Sound systems, the SAV-1 can also be expanded to provide a fully matched multi channel surround sound system with the option of adding a Sonique subwoofer for full range performance.


The SAV-1 also features magnetically shielded high quality drivers as standard. Providing a compact product of great portions that can be mounting close to Television and Video monitors.

Satellite speaker of great proportions

This extremely rigid and heavy loudspeaker is finished to the highest standards. Glass impregnated black lacquer provides a beautiful and robust finish to compliment the fine build quality, that has become a hallmark of all Sonique products...but the sound is its biggest feature.

Standard Features Include:

- Full magnetic shielding
- 18mm MDF cabinet
- Wall Mounting
- High Quality Oxygen Free wiring



"we played a variety of movies and found the performance just as clean and dynamic as the stereo performance." Best Buy's Magazine.

DIMENSIONS: 29H x 18W x 12D (cm)		IMPEDANCE: 8 Ohms	
FINISH: BLACK-STANDARD		FREQUENCY RESPONSE: 85Hz-20kHz	
TIMBER-SE OPTION		RECOMMENDED AMPLIFIER: 35-140Watts	
SAV-1		WEIGHT: 4kg Each	SENSITIVITY: 88dB

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth South, South Australia 5112
Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

SAV-2

The SAV-2 Monitors are a perfect choice as main front speakers where space is a premium but performance is a requisite.

SAV-2's provide superb reproduction forming the foundation of a quality Home Theatre or Hi Fi system, and when partnered with an optional Sonique subwoofer provides true full range performance.

Designed for ultimate flexibility, the SAV-2 can be used on stands, shelves or any raised surface, or can be wall mounted. And because they are magnetically shielded, the SAV-2 can be placed close to Television and Video monitors with no affect on picture quality or performance.

Like all SAV loudspeakers, the SAV-2's are technically, aesthetically and acoustically matched to each other for maximum performance, providing high quality reproduction from a very compact design.

Quality compact bookshelf monitor

Standard Features Include:

- Full magnetic shielding
- 18mm MDF cabinet
- Low noise ported enclosure
- High Quality Oxygen Free wiring
- Gold plated 3 way terminals
- Acoustically transparent grille cloth

"the amount of inner detail it can present listening viewers is simply awesome"

Which Loudspeaker Magazine.



DIMENSIONS: 29H x 18W x 23D (cm)		IMPEDANCE: 8 Ohms	
FINISH: BLACK-STANDARD TIMBER-SE OPTION	FREQUENCY RESPONSE: 54Hz-20kHz		
	RECOMMENDED AMPLIFIER: 35-140Watts		
SAV-2		WEIGHT: 6kg Each	SENSITIVITY: 86dB

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth South, South Australia 5112
Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

SAV-3

Full range compact loudspeaker

The SAV-3 loudspeaker system is a full range compact design that ideally suits high quality Hi-Fi and AV systems, with a style that blends beautifully alongside Television and Video monitors, and is equally suitable for placement on shelves or stands to suit individual requirements.

Designed to be used as main front left and right speakers or as surround sound speakers where full range performance is demanded, without the need to take up valuable floor space.

The symmetrical design features high quality shielded drivers in a rigid cabinet design, with audiophile quality components as standard to provide superb sound reproduction that has become a hallmark of all Sonique loudspeakers.

A feature of the SAV-3 is its dynamic range, providing listeners with a level of performance that delivers a great sense of realism when viewing in surround sound or providing a totally involving stereo Hi-Fi performance.

Standard Features Include:

- Full magnetic shielding
- 18mm MDF cabinet
- Low noise ported enclosure
- High Quality Oxygen Free wiring
- Gold plated 3 way terminals
- Acoustically transparent grille cloth
- Ferro Fluid hi-tech tweeter
- Double Magnet Motor systems

"the finish of the SAV-3 is simply breathtaking....A precise and controlled yet natural sounding loudspeaker." DVD Now Magazine.



DIMENSIONS: 45H x 18W x 30D (cm)		IMPEDANCE: 6 Ohms	
FINISH: BLACK-STANDARD TIMBER-SE OPTION		FREQUENCY RESPONSE: 47Hz-20kHz	
SAV-3		RECOMMENDED AMPLIFIER: 30-200Watts	
		WEIGHT: 10kg Each	SENSITIVITY: 88dB

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth South, South Australia 5112
Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

SAV-4

Multi award winning loudspeaker system

The SAV-4 full range floor standing loudspeaker system provides the ideal solution for front left and right loudspeakers in high performance Hi-Fi and Home Theatre systems, where performance is the number one criteria.

For the perfectly matched Home Theatre system with full range performance, the SAV-4 can be added for each channel to provide astonishing results.

It's elegant slim tower design features a symmetrical arrangement of high technology shielded drivers, with new generation crossovers that deliver an outstanding level of performance with dynamics and realism to maximise the potential of Hi-Fi and Home Theatre systems.

Like all Sonique products, the SAV-4 is finished in textured black as standard, or optional Special Edition (SE) models are available.

Standard Features Include:

- Full magnetic shielding
- 18mm MDF cabinet
- Low noise ported enclosure
- High Quality Oxygen Free wiring
- Gold plated 3 way terminals
- Acoustically transparent grille cloth
- Ferro Fluid hi-tech tweeter
- Double Magnet Motor systems

"this speaker system is as finely matched as anything you are likely to hear, providing a brilliant sound stage, in remarkably well built speaker cabinets that simply smack of quality."

Best Buys Magazine.



DIMENSIONS: 93H x 18W x 27D (cm)		IMPEDANCE: 6 Ohms
FINISH: BLACK-STANDARD TIMBER-SE OPTION	FREQUENCY RESPONSE: 43Hz-20kHz	
	RECOMMENDED AMPLIFIER: 25-200Watts	
SAV-4	WEIGHT: 16kg Each	SENSITIVITY: 89dB

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth South, South Australia 5112
Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

SAV-C1

The SAV-C1 is a dedicated Centre Channel loudspeaker that has been designed to blend perfectly and seamlessly into Home Theatre systems.

Often regarded as the most important loudspeaker in a Surround Sound system, the SAV-C1 reproduces voice with ease, providing detail and dynamics that belie its size and price.

Cleverly designed to fit unobtrusively on top of or below most Television and Video monitors, the SAV-C1 incorporates Sonique's 2nd generation magnetic shielding that reduces any possible affect on picture quality or performance.

Centre speaker with realism

The standard model features a rigid 18mm MDF cabinet with soft lines that is finished in easy care textured black, providing a product that is unobtrusive to compliment most decors. Of coarse for a little more, the SE specified Timber version is an option.

Its ease of placement, style and sound are just a few reasons why the SAV-C1 should be your next high performance centre channel loudspeaker.

Standard Features Include:

- Full range frequency response
- Full magnetic shielding
- 18mm MDF cabinet
- High Quality Oxygen Free wiring
- Gold plated 3 way terminals
- Protective Rubber feet



"a high quality unit that produces natural, articulate and believable sonics."

DVD Now Magazine.

DIMENSIONS: 18H x 45W x 22D (cm)		IMPEDANCE: 6 Ohms	
FINISH: BLACK-STANDARD TIMBER-SE OPTION		FREQUENCY RESPONSE: 55Hz-20kHz	
SAV-C1		RECOMMENDED AMPLIFIER: 20-180Watts	
		WEIGHT: 9kg Each	SENSITIVITY: 90dB

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth South, South Australia 5112
Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

SAV-SE

Special edition SAV series

Sonique SAV loudspeakers are all world class, meticulously hand crafted and finished with a light textured black, easy care paint lacquer.

Each is designed to reproduce sound with realism, setting new standards that belie their size and price. But for those who demand even more, Sonique produces a Special Edition (SE) version of every SAV Series loudspeaker.

A guide of what extra features are included in each SE model is below.

Sonique SAV-C1 SE

- Selected Reference drivers
- Crossover matching <2%
- Balanced Timber Veneered Cabinets

Sonique SAV-1 SE

- Selected Reference drivers
- Crossover matching <2%
- Balanced Timber Veneered Cabinets
- 3 way gold plated terminals

Sonique SAV-2 SE

- Selected Reference drivers
- Crossover matching <2%
- Balanced Timber Veneered Cabinets

Sonique SAV-3 SE

- Selected Reference drivers
- Crossover matching <2%
- Balanced Timber Veneered Cabinets

Sonique SAV-4 SE

- Selected Reference drivers
- Crossover matching <2%
- Balanced Timber Veneered Cabinets
- Bi-wirable 3 way gold plated terminals
- Mineral fillable cabinets

All SE's are hand built to extreme standards, with tolerances that are well beyond any industry standard. Features include balanced timber veneered cabinets, selected drivers and matched crossover components. Providing even more style, better imaging, a more open and revealing mid-range, as well as a more controlled and defined low frequency response.



Sonique SAV-4 SE



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth South, South Australia 5112
Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

SAV-C5 SE

Full Range Hi-Performance Centre Channel Loudspeaker

The SAV-C5SE is the perfect solution for those discerning listeners that demand a big performance from a centre speaker without compromising quality – delivering excellent clarity, bass extension and an impressive ability to reproduce dialogue that enhances the home theatre experience.

Each SAV-C5SE is hand built to exact quality standards with fine components throughout, including Sonique's 2nd generation magnetic shielding that is designed to eliminate picture distortion for excellent compatibility with Television and Video screens.

Finished in a choice of genuine Jarrah, Oak or Black Oak timber, the SAV-C5SE will compliment all decors, providing a long lasting beautiful finish that will pass the test of time.

The SAV-C5SE is the ideal centre speaker to upgrade an existing system or for the perfect Home Theatre solution it can be matched to a complete Sonique package.

Design Features Include:

- Dual Gold Plated Bi-wirable Terminals
- Tuned Low Noise Ported Enclosure
- Advanced Driver with Composite Mica Cone
- Long Life Rubber Roll Surround
- Double Magnet Motor Systems
- Full Magnetic Shielding
- High Efficiency Design
- Low Resonance Braced Timber Cabinet



'Sonique's SAV-C5SE is a seriously good centre-channel that would be the perfect choice for anyone serious about the quality of their centre channel sound'.

Best Buys Home Theatre Magazine.

DIMENSIONS: 23H x 55W x 37D (cm)		IMPEDANCE: 6 Ohms	
FINISH: TIMBER Jarrah, Oak, Black Oak		FREQUENCY RESPONSE: 49Hz-20kHz	
SAV-C5 SE		RECOMMENDED AMPLIFIER: 20-180Watts	
		WEIGHT: 15kg Each	SENSITIVITY: 92dB

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth South, South Australia 5112
Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

SAV-5 SE

High Efficiency Full Range Loudspeaker

The SAV-5 SE is the perfect solution for those discerning listeners who demand a big performance without compromising quality. Its ideal as main speakers in a Hi-Fi or Home Theatre system...and doesn't break the budget.

Like all of the SAV products, the SAV-5 SE is shielded, providing the flexibility to position this elegantly styled loudspeaker close to a TV if required.

And because its efficient, it plays loud, yet retains the Sonique SAV pedigree, delivering an outstanding level of performance with dynamics, realism and bass response to maximise the potential of Hi-Fi and Home Theatre systems alike.

Use the SAV-5 SE to upgrade your main Hi-Fi or Home Theatre speakers or for the perfect Home Theatre solution, match it to other Sonique SAV loudspeakers in the range.

Standard Features Include:

- Advanced Driver Design
- Composite Mica Cones
- Rubber Roll Surrounds
- Double Magnet Motor Systems
- Ferro Fluid Hi-tech Tweeters
- Full Magnetic Shielding
- High Efficiency Design
- Dual Gold Plated Bi-wirable Terminals
- Tuned Low Noise Ported Enclosure



"The SAV-5 SE is an exciting speaker system in a myriad of ways that truly kicks some serious sonic derrière." entertainment@home Magazine.

FREQUENCY RESPONSE: -3dB 45Hz-20kHz / -6dB 35Hz-22.5kHz	
IMPEDANCE: 6 Ohms Nom. 4 Ohms Min.	WEIGHT: 23kg Each
SAV-5 SE	DIMENSIONS: 107H x 22W x 31D (cm)
	FINISH: TIMBER - Jarrah, Oak, Black Oak
RECOMMENDED AMPLIFIER: 25-200Watts	SENSITIVITY: 92dB

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd
 PO Box 1225, Elizabeth South, South Australia 5112
 Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
 www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

Thunderbox 1200

Active Subwoofer

The Thunderbox 1200 has been engineered for HI-Fi and Home Theatre systems.

It's fully optioned with features that include Auto turn On, Line level and speaker inputs and outputs as well as high pass filters to match smaller loudspeakers.

This vented design provides extra impact by utilising dual low noise ports, combined with a large forward firing high technology woofer that provides all the impact, speed and finesse required to compliment Home Theatre and Music systems alike.

Also integral to the performance is the unique compression and soft clip circuitry that protects without distortion, delivering long-term reliability at high levels.

Designed to be virtually invisible, the Thunderbox 1200 develops bass sound that is not localised to the subwoofer, but reinforces the total system enveloping the room and your senses.

Standard Features Include:

- 12 inch hi-tech, high power woofer with rubber roll surround
- 25mm MDF cabinet with full bracing
- Low noise ported enclosure
- Compression and Soft Clip protection
 - Auto On/Off
 - Phase Switching: 0/180Deg
 - Inputs: Line level & Speaker level
 - Outputs: Line level & Speaker level with High Pass filter
 - 130Hz 1st order Butterworth-Line output
 - Lead Lined-SE option
 - Adjustable Hardened spikes-SE option



DIMENSIONS: 46H x 36W x 44D (cm)	FREQUENCY RESPONSE: 27kHz
FINISH: BLACK-STANDARD TIMBER-SE OPTION	AMPLIFICATION: INTERNAL 128Watts
THUNDERBOX 1200	WEIGHT: 22kg Each

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth South, South Australia 5112
Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

SAV-DB1

Switchable Dipole/ Bipole Loudspeaker

The SAV-DB1 Dipole/Bipole surround sound loudspeaker has been designed to adapt to any room position by the simple flick of a switch.

This unique design provides maximum flexibility so that you can choose the type of sound that best suits your system, your room, your ears and even your program material. Of course if you update your system later, move home or change listening rooms the SAV-DB1 is your perfect choice.

The prime function of the SAV-DB1 is to provide high quality surround sound, and it does this by the use of Sonique's unique design that maximises the benefits of the reflective properties of the room walls and corners, wide dispersion characteristics and phase switching.

The SAV-DB1 is an excellent match to most home theatre systems, it's easy to drive with excellent control with improved damping that guarantee's that Sonique high quality sound.

Standard Features Include:

- Dipole or Bipole (selectable)
- Full range frequency response
- Full magnetic shielding
- 18mm MDF cabinet
- High Quality Oxygen Free wiring
- Gold plated 3 way terminals



DIMENSIONS: 29H x 35W x 19D (cm)		IMPEDANCE: 8 Ohms
FINISH: BLACK OR CREAM	FREQUENCY RESPONSE: 79Hz-23kHz	
	RECOMMENDED AMPLIFIER: 35-140Watts	
SAV-DB1	WEIGHT: 7kg Each	SENSITIVITY: 88dB

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd
 PO Box 1225, Elizabeth South, South Australia 5112
 Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
 www.sonique.com.au Email. info@sonique.com.au