



SOUND TECHNOLOGY

Thunderbox 1200

Active Subwoofer

The Thunderbox 1200 has been engineered for HI-Fi and Home Theatre systems.

It's fully optioned with features that include Auto turn On, Line level and speaker inputs and outputs as well as high pass filters to match smaller loudspeakers.

This vented design provides extra impact by utilising dual low noise ports, combined with a large forward firing high technology woofer that provides all the impact, speed and finesse required to compliment Home Theatre and Music systems alike.

Also integral to the performance is the unique compression and soft clip circuitry that protects without distortion, delivering long-term reliability at high levels.

Designed to be virtually invisible, the Thunderbox 1200 develops bass sound that is not localised to the subwoofer, but reinforces the total system enveloping the room and your senses.

Standard Features Include:

- 12 inch hi-tech, high power woofer with rubber roll surround
- 25mm MDF cabinet with full bracing
- Low noise ported enclosure
- Compression and Soft Clip protection
 - Auto On/Off
 - Phase Switching: 0/180Deg
 - Inputs: Line level & Speaker level
 - Outputs: Line level & Speaker level with High Pass filter
 - 130Hz 1st order Butterworth-Line output
 - Lead Lined-SE option
 - Adjustable Hardened spikes-SE option



DIMENSIONS: 46H x 36W x 44D (cm)		FREQUENCY RESPONSE: 27kHz	
FINISH: BLACK-STANDARD TIMBER-SE OPTION		AMPLIFICATION: INTERNAL 128Watts	
THUNDERBOX 1200			WEIGHT: 22kg Each

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth South, South Australia 5112
 Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
 www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

SLIM 606 THE SMART SUBWOOFER SOLUTION WITH THE LOOK AND SOUND OF TODAY



To complete the Slim Series, Sonique have developed the matching Slim 606 active subwoofer that integrates seamlessly, delivering additional realism and impact of an F18 Jet fly-by to the excitement of a full orchestral crescendo.

SLIM 606

- Applied delocalisation technology
- Low noise vented enclosure
- Auto sensing On/Off
- Phase switching 0/180 Deg
- Inputs: Line and speaker level
- Outputs: Line and speaker level
- High pass filter
- 12" high power woofer
- High impact sound

Slim 606 subwoofer can even be colour matched to any decor:

- Match paint colours
- Choice of Grille colours

The Slim 606 completes the surround sound experience of any Audio System, delivering full bass only achievable from a purpose designed subwoofer.

SLIM 606

Dimensions: 36 H x 36 W x 39 D (cm)

Frequency response: 39 Hz - 160 Hz

Weight: 17 kg

Amplification: Internal 128 Watts

Bass extension: Better than 35 Hz in room

Finish: Silver/black/custom

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth Vale, South Australia 5112

Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)

www.sonique.com.au Email. info@sonique.com.au



SOUND TECHNOLOGY

Sonique-Boom

Dual Active/
Drone Subwoofer

The Sonique-Boom blends style and performance to create a new standard in Subwoofer design. Coupled with unique electronic/filter circuitry, this fully optioned subwoofer will integrate seamlessly - complimenting and enhancing the best and most advanced Hi-Fi and Home Theatre systems.

Its super inert cabinet, finished in real timber, houses a matched pair of the most advanced woofer/drone combinations available and electronics that has been finely tuned to achieve spectacular results.

Integral to the performance is the ability of the Extreme Long Stroke Woofers to deliver deep clean bass, with long term reliability and very low distortion, even at high sound pressure levels.

Standard Features Include:

- Matched Pair 10" Extra Long Stroke, High Linearity Woofer & Drone with Rubber Roll Surrounds
- Balanced Timber Veneered 27mm MDF Cabinet + 25mm Anti-resonant Baffles, Base and Braces
- Mineral Loaded Feet with Acoustic Rubber Isolating Pads
- Auto Sense ON/OFF
- Variable Phase Adjustment 0-180 Deg
- Inputs: Line Level & Speaker Level
- Outputs: Line Level & Speaker Level with High Pass Filter
- 100Hz 2nd Order Butterworth-Line Output
- Soft Clip and Compression Protection
- Drone Eliminates Port Noise
- Lead Lined-SE Option
- Adjustable Hardened Spikes-SE Option



"The Sonique-Boom is a superb high-end subwoofer that lays down a clear and uncompromising challenge to competitors.... catch me if you can!"

Richard Morgan

DIMENSIONS: 41H x 42W x 39D (cm)		FREQUENCY RESPONSE: 26Hz - 160Hz	
FINISH: TIMBER-STANDARD		AMPLIFICATION: INTERNAL 300W RMS @ 28Hz	
SONIQUE-BOOM			WEIGHT: 27kg Each
			MAX SPL: 105dB

Due to continual product development, specifications may change without notice.



Sonique Audio Pty Ltd

PO Box 1225, Elizabeth South, South Australia 5112
Ph. (08) 8285 9722 Fax. (08) 8285 9744 (International. +618)
www.sonique.com.au Email. info@sonique.com.au